## **National Oesophago-Gastric Cancer Audit**

## **Royal Berkshire NHS Foundation Trust**

**Thames Valley, Cancer Alliance** 

## **Management of High Grade Dysplasia patients**

Time period: 2018-22

|   | Cancer Alliance |        | National |
|---|-----------------|--------|----------|
| Number of High Grade Dysplasia patients in audit    | 51              |        | 1120     |
|   | Cancer Alliance |        | National |
| Method of Diagnosis                                 |                 |        |          |
| - First diagnosis confirmed by second pathologist   | N/A             | 93.3%  | 90.0%    |
| Treatment planning                                  |                 |        |          |
| - HGD plan discussed at MDT                         | N/A             | 100.0% | 93.0%    |
| - Treatment plan for active treatment               | N/A             | 88.0%  | 82.0%    |
| First treatment                                     |                 |        |          |
| - Endoscopic therapy (such as endoscopic resection) | N/A             | 86.0%  | 78.0%    |
| - Surveillance                                      | N/A             | 6.0%   | 11.0%    |

NOTE: Percentages have been calculated based on the number of patients with recorded data for each variable and not the total number of patients in the Cancer Alliance.

## Management of oesophago-gastric cancer patients

Time period: 2020-2022

|   | Organisation |        | National |  |  |
|---|--------------|--------|----------|--|--|
| Number of oesophago-gastric (OG) cancer patients in audit   | 57           |        | 19,865   |  |  |
| Case ascertainment for OG cancer (%)  | 65%          |        |          |  |  |
| Method of Diagnosis   |              |        |          |  |  |
| <ul> <li>Patients diagnosed after an emergency admission**</li> <li>** Percent figure accounts for differences in mix of patients across organisations</li> </ul> | 10           | 12.1%  | 13.1%    |  |  |
| - Patients with referral source reported as unknown   | 0            | 0.0%   | 1.4%     |  |  |
| Pre-treatment staging of cancer   |              |        |          |  |  |
| - Patients having staging CT scan recorded  | 57           | 100.0% | 94.0%    |  |  |
| Treatment planning  |              |        |          |  |  |
| - Patients having a plan for curative treatment   | 47           | 82.5%  | 37.2%    |  |  |
| - Patients having a plan for non-curative treatment   | 10           | 17.5%  | 62.8%    |  |  |
| - Patients with non-curative plans having chemotherapy or radiotherapy  | N/A          |        | 34.7%    |  |  |